

# Index

## A

- AAI, 02, 31, 33, 51, 54, 55, 57, 58, 61, 70, 85, 89, 102, 104, 105, 107, 111, 114, 115, 199; *see also* authorised aeronautical information
- AAIS, 88, 104, 109, 198
- Abbreviations and acronyms, 195–197
- Abnormal situations, *see* emergency or abnormal situations
- ACAS (airborne collision avoidance system), *see* collision prevention
- Accidents and incidents, 23, 73, 170, 174, 188  
 immediately reportable matters, 03, 27, 209  
 loss of control, 131  
 reporting to the ATSB, 27  
*see also* collision prevention; emergency or abnormal situations; hazards
- ADF (automatic direction finder), 142, 145
- ADS-B capability, 161, 162, 163, 164, 165, 168  
 ADS-B OUT, 133, 161, 162, 164, 166, 167, 168  
*see also* transponders
- ADS-C capability, 53, 59, 60, 62
- Aerial application operations, 23, 29, 74, 90
- Aerial work operations, 19, 22, 41, 42, 53, 58, 74, 119, 141, 144, 150, 175, 176, 177, 182, 184, 190, 192, 214, 215
- Aerobatic activities and manoeuvres, 22, 29, 118, 182–191, 198, 199  
 over populous areas, 118  
*see also* formation flights
- Aerodrome  
 alternate, *see* alternate aerodromes  
 controlled aerodromes, 53, 55, 96, 169  
 foreign, 84  
 lighting, 55, 81, 82, 89  
 military, 51, 54, 89  
 non-controlled, *see* non-controlled aerodromes  
 QNH, 109  
 weather and forecasts, 78, 79, 80, 198, 220
- Aeronautical charts, *see* charts
- Aeronautical information circular (AIC), *see* regulations, rules and guidance material
- Aeronautical Information Publication (AIP), *see* regulations, rules and guidance material
- Aeronautical information regulation and control cycle, *see* AIRAC
- AFM, 26, 31, 33, 38, 39, 41, 58, 60, 71, 76, 84, 87, 88, 90, 91, 92, 93, 94, 96, 106, 111, 115, 117, 147, 152, 153, 154, 168, 191, 198, 203, 206, 219, 221  
 compliance, 23, 77, 88, 136
- AGL, *see* altitude
- AIRAC, 110, 199, 206
- Air defence identification zone, 27  
*see also* military aerodromes
- Air displays, 104, 105, 118, 125, 182–191, 199  
*see also* aerobatic activities and manoeuvres, formation flights, public gatherings
- Air operator's certificate, *see* licensing
- Air traffic control, *see* ATC
- Air traffic services, 17, 51, 55–56, 58, 59, 73, 103, 183, 185, 199, 209; *see also* ATS
- Aircraft  
 aircraft flight manual, *see* AFM  
 callsigns, 52, 86  
 equipment, *see* equipment and instruments  
 fuel, *see* fuel and oil  
 lights, *see* lights and lighting  
 speed, *see* aircraft speed  
 weight and balance, *see* weight and balance  
*see also* AFM, experimental aircraft; failures, malfunctions and defects; light sport aircraft; rotorcraft; maintenance

- Aircraft speed, 53, 92, 94, 167, 203  
 calibrated airspeed (CAS), 129, 211  
 cruising, 86, 158, 167  
 holding, 198, 207  
 indicated airspeed (IAS), 44, 85, 108, 141, 142, 143, 144, 145, 146, 147, 209, 210, 221  
 IVSI (instantaneous vertical speed indicator), 145, 147  
 limits and limitations, 44, 85, 182, 184  
 never-exceed, 129, 211  
 range, 108, 126, 127  
 rotorcraft, 145, 146  
 stall, 85, 108, 129, 211, 221  
 supersonic and transonic, 44  
 vertical, 142, 144, 145, 147; *see also* IVSI
- Aircraft controls, *see* flight controls
- Airservices Australia, 55, 60, 111, 199, 213, 214
- Airspace, 27, 60, 62, 73, 106, 107, 112, 163, 164, 167, 183, 185, 187, 214, 215, 217, 222  
 classes, 44, 45, 46, 55, 59, 83, 96, 164, 175, 176, 222  
 common traffic advisory frequency, *see* CTAF  
 domestic, 61, 62  
 frequency management, *see* frequency management  
 international, 57, 58  
 NAT-HLA (North Atlantic Track – High Level Airspace), 58  
 oceanic, 111, 112, 143, 146, 212, 214  
 volume, 187, 209  
*see also* Class A, B, C, D, E or G airspace; controlled airspace; prohibited, restricted and danger areas; separation; uncontrolled airspace
- Airspeed, *see* aircraft speed
- Airworthiness, 40, 106, 124, 126, 127, 128, 130, 140, 151, 204, 213  
 continuing airworthiness management organisation (CAMO), 137, 138  
 certificate of airworthiness (CoA), 22, 23, 24, 124, 151, 212, 213  
 experimental aircraft, 128, 140  
 foreign registered/state aircraft, 132, 133  
 light sport aircraft, 129, 130, 140, 147  
 special/provisional certificate, 17, 31, 124, 125, 127, 128, 130, 131, 140, 147, 160
- Alcohol, 17, 34, 35, 216  
 crew members, 33  
 passengers, 17, 35, 39  
*see also* fitness to fly
- Alerting services and systems, 214  
 altitude, 112, 141, 150  
 SAR alerting, 218
- Alternate aerodromes, 18, 74, 78, 79, 82, 91, 93, 110, 198, 199  
 destination alternate, 72, 73, 78, 79, 80, 81, 82, 86, 199, 200, 207  
 en route alternate, 73, 199, 206, 215  
 fuel, *see* fuel and oil  
 not required, 80, 207  
 restrictions, 82  
 take-off alternate, 199
- Alternate (meteorological) minima, 79, 80, 83  
 foreign aerodromes, 84
- Altimeters, 30, 56, 88, 101, 207, 217  
 pressure, 88, 147, 219  
 radio altimeters, 174  
*see also* altitude; equipment and instruments; QNH
- Altitude, 25, 26, 32, 52, 61, 62, 83, 141, 142, 143, 144, 145, 146, 150, 153, 155, 163, 200, 207, 217  
 AGL (above ground level), 29, 30, 31, 32, 33, 45, 83, 99, 115, 116, 118, 148, 174, 180, 181  
 AMSL (above mean sea level), 44, 45, 57, 62, 78, 99, 140, 148, 175  
 cruising, 200, 221  
 decision altitude (DA), 96, 206  
 LSALT (lowest safe altitude), 31, 33, 102, 210, 212, 216  
 minimum, 96, 97, 180, 210  
 minimum descent altitude (MDA), 84, 96, 213  
 minimum sector altitude (MSA), 102, 212  
 MSL (mean sea level), 200  
 transition altitude, layer and level, 101, 220  
*see also* altimeters; height; minimum height rules; pressure altitude
- Amphibians, *see* seaplanes
- AMSA, 155
- AMSL, *see* altitude
- Animals, 17, 40, 41, 42
- AOC, *see* licensing

- Approaches, 31, 48, 112, 115, 126, 198, 200, 211, 219, 221
- approach ban, 98
  - approach fix, 52, 210
  - baulked, 32
  - checklists, 87
  - head-on, 49, 50, 90
  - IAP (instrument approach procedure), 31, 47, 52, 61, 78, 83, 84, 85, 94, 95, 96, 98, 102, 107, 108, 109, 110, 111, 116, 202, 206, 210, 213, 215, 218
  - low visibility, 212
  - minima, 96, 212
  - missed, 52, 93, 94, 95, 97, 104, 105, 108, 109, 113, 200, 206, 218
  - obstacles, 93, 94
  - precision, 84, 96, 111, 212, 215
  - PRM, 111
  - RNP, 96, 97, 217
  - speed, 108
  - straight in, 52, 116
  - visual approach, 95, 97, 102
  - visual approach slope indicator system, 97  
*see also* landings
- APU, *see* power supply
- APV, *see* landings, approaches and arrivals
- ATC, 44, 47, 53, 54, 55, 56, 58, 59, 60, 62, 88, 95, 101, 109, 112, 166, 169, 198, 213, 221, 222
- ATIS, 88, 101, 109, 198, 201
- ATS, 25, 51, 53, 54, 56, 57, 60, 70, 71, 86, 103, 107, 111, 112, 116, 148, 160, 166, 167, 199, 201, 204, 213, 214, 215; *see also* air traffic services; frequency management
- Australian aerobatic clubs, 187, 188, 189
- Australian Defence Force, 36, 218
- Australian Maritime Safety Authority, *see* AMSA
- Australian territory, 16, 57, 83, 84, 118, 132, 133, 167, 182, 184; *see also* flight information region
- Australian Transport Safety Bureau (ATSB), 27
- Authorised aeronautical information, 22, 111, 199, 202, 216; *see also* AIP, NOTAM
- Authorised weather forecasts and reports, 71, 78, 79, 83, 88, 198, 202, 203, 207
- Automatic aerodrome information service, *see* AAIS
- Automatic dependent surveillance
- broadcast, *see* ADS-B
  - Automatic dependent surveillance
  - contract, *see* ADS-C
- Automatic terminal information service, *see* ATIS
- Automatic weather information service, *see* AWIS
- Automatic weather stations (AWS), 203, 222
- AVGAS (aviation fuel), *see* fuel and oil
- Aviation security identification card, 22
- AWIS, 88
- ## B
- Balloons and hot air airships, 17, 126, 211
- carriage and use of radio, 17, 62
  - prohibited or restricted areas, 57
  - right of way, 17, 48
  - see also* light sport aircraft
- Behaviour, offensive and disorderly, 17, 35
- Briefings, *see* pre-flight briefings
- Broadcast areas (BAs), 52
- mandatory broadcast areas (MBAs), 51, 52, 148
- Bureau of Meteorology (BOM), 78, 202, 203, 220, 222

## C

- CA/GRS, *see* radio communications
- Callsigns, *see* aircraft callsigns
- Cargo, 156, 203
- carriage, 17, 41
  - carry-on baggage, 16, 40
  - classes, 156, 204
  - manifest, 22
  - restraint and stowage, 16, 40
  - safety, 24, 33, 35, 36, 205
  - see also* animals; firearms; weight and balance
- Charts,
- aeronautical, 58, 199, 202
  - ERC (en route), 102
  - grid point wind and temperature, 78
  - performance, 90, 92
  - topographical, 106
  - wind and temperature, 78
- Circuits, 52, 116
- contra-circuits, 114
  - height, 31, 104, 105
  - joining, 52, 55, 116, 185, 188
  - non-controlled aerodromes, 115
  - patterns, 114, 115, 116, 183, 185, 188
  - training, 104, 105
- Class A airspace, 45, 47, 53, 61, 99, 133, 164, 165, 166, 205
- control zones, 55
- Class B airspace, 45, 53, 61, 133
- control zones, 55, 164, 165, 205
- Class C airspace, 44, 45, 53, 61, 133, 164, 165, 166, 175, 205
- control zones, 55
- Class D airspace, 44, 46, 53, 61, 133, 164, 166, 168, 205
- control zones, 55
- Class E airspace, 44, 45, 61, 133, 164, 165, 166, 168, 205
- control zones, 55
- Class G airspace, 44, 45, 47, 51, 53, 54, 61, 133, 148, 164, 165, 168
- Clearances, 56
- amendments, 56, 62, 73, 213
  - arrivals and approaches, 56
  - ATC, 44, 47, 53, 55, 56, 57, 61, 62, 73, 90, 99, 100, 102, 112, 169, 180, 213
  - ATS, 112, 116, 148
  - controlled airspace, 54
  - conditional, 56
  - not required, 55
  - readback, 56
  - restricted airspace, 57
  - special VFR, 47, 56
  - taxiing, 56
- Cloud, 56, 79
- ceiling, 83, 84, 95, 211, 220
  - in-flight requirements, 181
  - SCT (navigation above), 218
  - seeding, 125
  - separation/distance, 44, 45, 46, 47, 148, 175, 176, 222
  - see also* meteorological conditions and forecasts
- Collision prevention, 17, 30, 47, 48–50, 51, 63, 90, 103, 114, 116, 167, 180, 207
- ACAS, 49, 56, 62, 136, 150
  - anti-collision lights, 55, 149–150
  - at sea/over water, 50, 210
  - see and avoid*, 48, 56
  - see also* accidents and incidents; giving way; radar; right-of-way rules; separation
- Common traffic advisory frequency, *see* CTAF
- Communications, *see* radio communications
- Community service flights, 85
- Compasses
- gyro, 30
  - magnetic, 141, 142, 143, 144, 145, 146
  - remote indicating, 143, 144, 145, 146, 147
- Controlled aerodromes, 53, 55, 96, 169
- Controlled airspace, 25, 51, 53, 57, 62, 99, 148, 150, 168, 169, 183, 185
- clearances, 57
- Coordinated Universal Time, *see* UTC
- Crew members other than flight crew (cabin crew), 18, 19, 24, 26, 28, 29, 30, 33, 34, 35, 36, 39, 40, 41, 69, 124, 127, 149, 153, 154, 155, 203, 205
- fitness for duty, 17, 33, 37
  - power of arrest, 35
  - safety, 34, 39, 190
  - seating, 16, 20, 34
- CTAF, 51, 54, 206
- balloons, 62
  - gliders, 62
  - practice flights, air displays and aerobatics, 185, 188, 189
  - see also* frequency management
- CVR, *see* equipment and instruments

**D**

Danger areas, *see* prohibited, restricted and danger areas  
 Decision-making, 26, 73, 79, 89  
 Defects, *see* failures, malfunctions and defects  
 Departures, *see* take-offs  
 Designated remote areas, *see* remote areas  
 Destination alternate aerodromes, *see* alternate aerodromes  
 Discharge of firearms, *see* firearms  
 Distress signals, 70, 73, 159; *see also* ELT; emergency or abnormal situations; search and rescue  
 Diversions, 72, 148, 199, 202, 206, 215  
 DME, *see* equipment and instruments  
 Documents, 17, 21–23, 58, 60, 70  
   carriage of, 03, 16, 22, 132, 149  
   charts, *see* charts  
   electronic, 22  
 Doors and hatches, security of, 23, 24, 76, 87, 118  
 Downlink aircraft parameter (DAP), 162, 166, 167  
 Dropping things from aircraft, 16, 17, 19, 40, 118, 182, 184, 191  
 Drugs, 33; *see also* fitness to fly

**E**

Electronic devices, 26, 39  
   crew, 35  
   low-risk, 76, 212  
 Electronic display indicator (EDI), 148  
 Electronic flight information system (EFIS), 148  
 ELT, 155–156  
   automatic ELT, 155, 156  
   inoperative ELT, 156  
   over-water flights, 155  
   survival ELT, 155, 156  
   technical requirements, 155  
   *see also* distress signals  
 Emergency landings, *see* emergency or abnormal situations; forced landings  
 Emergency locator transmitter, *see* ELT

Emergency or abnormal situations, 23, 26, 48, 77, 131, 149, 158, 166, 193, 219  
   emergency position indicating radio beacon, 156  
   emergency signals, 65, 66, 69  
   equipment, 34, 39, 87, 104, 105, 136, 140, 159, 194, 199  
   evacuation, 39, 155, 220  
   exits, 38, 39, 41, 42, 149, 155, 220  
   fuel emergency, 73, 208  
   oxygen and breathing equipment, 03, 38, 87, 149, 153, 154, 155, 216, 220  
   transponder codes, 166  
   *see also* distress signals; ELT; failures, malfunctions and defects; forced landings; search and rescue; survival  
 Engines  
   critical engine, 204, 205  
   engine shut down, 30, 32  
   failure or malfunction, 2692, 94, 95, 115, 157, 158, 198, 204, 211  
   failure simulation, 30–33, 193  
   inoperative, 85, 94, 155, 208, 217  
 Equipment and instruments, 02, 134–138, 140–174  
   altimeters, *see* altimeters  
   combined recorder (CVR/FDR), 150, 151, 152, 205  
   compasses, *see* compasses  
   CVR (cockpit voice recorder), 27, 150, 151, 152, 205  
   DME (distance measuring equipment), 55, 83, 94, 107, 109, 111, 214  
   FDR (flight data recorder), 150, 151, 152, 205  
   flight information systems, 141, 142, 143, 144, 145, 146, 147, 148  
   FO hybrid landing system, *see* landings  
   gyroscopic instruments, 143, 144, 145, 147  
   HUD (head-up display), 96, 98, 209  
   ILS (instrument landing system), *see* landings  
   inoperative equipment (placarding), 25, 88  
   MEL/MMEL (minimum equipment list), 111, 134, 135, 136, 137, 138, 141, 217  
   simulating failure, 193  
 Experimental aircraft, 126, 128, 141, 142, 143, 144, 145, 147, 148, 168  
   certificate, 31, 126, 127, 140, 147, 148, 160  
   placards, 128

- F**
- Failures, malfunctions and defects, 26, 41, 53, 61, 81, 82, 135, 141, 143, 146, 170, 174, 208, 210, 215, 220
- foreign-registered aircraft, 132, 133
  - inoperative equipment (placarding), 25, 88
  - rectification intervals, 134, 135, 136, 137, 138, 217
  - simulating failure, 29, 30, 193
  - see also* engines; equipment and instruments; tests and testing
- FATO (final approach and take-off area),  
*see* rotorcraft and helicopters
- FCM, *see* flight crew
- Fire, 41, 69, 157
- ARFF (aircraft rescue and firefighting), 69, 75
  - extinguishers, 41, 75, 154, 156, 157
  - hazard, 75
- Firearms, 19, 42
- Fitness for duty, 17, 33, 34, 87
- alcohol, 33, 34, 216
  - coffee, 216
  - fatigue, 34, 170
  - illicit drugs, 33, 34
  - medications, 34
  - psychoactive substances, 33, 216
  - random testing, 33
  - stress, 34
  - tobacco, 216
- Flight controls, 30, 68, 77, 174
- dual, 174
  - manipulating, 26, 30, 39, 169
  - testing before take-off, 87
- Flight crew, 16, 22, 23, 24, 26, 28, 29, 30, 31, 32, 33, 41, 42, 48, 56, 59, 66, 68, 69, 73, 74, 84, 87, 107, 108, 110, 111, 124, 126, 127, 138, 140, 147, 149, 150, 152, 153, 154, 155, 157, 169, 192, 193, 203, 205, 207, 213
- documents, 22, 23
  - NVIS crew member, 174, 175, 176, 177–181
  - obligations, 24–27
  - power of arrest, 35
  - seating, 16, 26
  - training, 29, 31, 126, 192
- Flight information region (FIR), 53, 58, 61, 87, 101, 111, 112, 157, 208, 214, 216
- Flight notification requirements, 53, 85, 166, 213
- Class C and D airspace, 85
  - over-water flights, 85
  - see also* SARTIME; SARWATCH
- Flights beginning or ending outside Australia, 16, 22, 23, 25, 57, 78, 84, 208
- Forced landings, 26, 48, 92, 105
- suitable area, 30, 104, 155, 157, 158, 219
  - see also* emergency or abnormal situations; landings
- Forecasts, *see* meteorological conditions and forecasts
- Foreign countries, 16
- Foreign-registered/state aircraft, 16, 89, 132, 133
- Formation flights, 51, 119, 166, 179, 199, 207; *see also* aerobatic flying, in company
- Frequency management, 45, 51, 56, 183, 185, 188, 189, 198, 199
- ATC, 62
  - ATS, 51, 54, 116
  - Class C airspace, 61
  - Class D airspace, 61
  - Class E airspace, 61
  - Class G airspace, 45, 54, 61, 62
  - emergency frequency, 148; *see also* emergency or abnormal situations
  - HF/VHF, 51, 54, 82, 185, 186, 188, 189
  - oceanic airspace, 62
  - see also* CTAF
- Fuel and oil, 17, 18, 19, 23, 26, 71–77, 183, 185, 221
- additional fuel, 72, 74, 198, 208
  - destination alternate fuel, 72, 73, 74, 80, 200, 208
  - AVGAS, 75, 77
  - boarding or disembarking during, 17, 18, 19, 20, 77
  - consumption data, 71, 72, 74, 206, 209, 221
  - contaminated, degraded or inappropriate fuels, 74
  - critical fuelling point, 76, 205
  - electrical bonding, 17, 75
  - electronic devices operating near aircraft, 76
  - final reserve and contingency fuel, 71, 72, 73, 74, 183, 185, 205, 206, 207, 208, 215
  - fire hazards, 75
  - fuel cylinders, 77
  - highly volatile fuel, 77, 209
  - holding fuel, 72, 74, 80, 82, 206, 208, 209
  - hot fuelling, 20, 76, 77, 209
  - minimum, 73, 209
  - MOGAS, 77
  - oil requirements, 18, 19, 74, 75
  - pre-flight planning and inspection, 72, 87, 215
  - refuelling, 75, 133
  - rotorcraft, 19, 71, 207
  - taxiing, 72, 74, 208, 220
  - vapour, 17, 77
  - see also* emergency and abnormal situations; journey logs

## G

GAF, 78, 207  
 GAMET (general aviation meteorological), 78, 208  
 Giving way,  
   aircraft compelled to land, 48  
   on water, 17, 50  
   to vessels, 50  
   taxiing or towing, 90  
   *see also* right-of-way  
 Gliding operations, 47, 48, 62, 63, 64, 99, 114, 115, 116, 119, 125, 128, 129, 208, 211  
   Towing, 119, 125, 128  
 GNSS (global navigation satellite system), 81, 83, 94, 97, 107, 109, 110, 111, 112, 143, 163, 168  
   alternate position source, 161, 167, 168  
   approved, 81, 106, 107, 111, 112, 142, 143, 145, 146, 147, 148, 200  
   approved position source, 161, 200, 212  
   FDE (fault detection and exclusion), 110, 112, 167  
   HPL (horizontal protection level), 162  
   integrity, 87, 110, 112  
 Graphical area forecast, *see* GAF  
 Ground operations, 48, 53, 63, 82, 89–90, 126, 166, 211  
   parked aircraft not to create hazard, 89; *see also* hazards  
   safety on ground, 16, 89, 90  
   taxiing or towing, 63, 89, 90  
 Ground signals, 63, 64–69  
 Guns, *see* firearms  
 Gyroplanes, 217; *see also* rotorcraft and helicopters

## H

Hang gliders, *see* gliding operations  
 Hatches, *see* doors and hatches  
 Hazards, 35, 38, 40, 57, 76, 77, 126, 127, 150, 190, 191  
   aircraft operation not to create, 24, 182, 184  
   fire, 75  
   NOTAM, 214  
   reports, 51, 70, 111  
   *see also* icing; prohibited, restricted and danger areas  
 Height, flying, 25, 45, 46, 47, 92, 93, 94, 95, 96, 114, 118, 174, 175, 207, 210, 211, 217  
   circuits, 31, 104, 105  
   cruising, 54, 56, 86, 99–105, 200, 221  
   decision height (DH), 96  
   low flying, 105, 194  
   minimum descent height (MDH), 96  
   minimum height rules, 16, 17, 19, 20, 31, 91, 93, 94, 99, 102, 103, 105, 158, 180, populous areas and public gatherings, 17, 19, 20, 91, 93, 103, 104  
   *see also* formation flights  
 Helicopters, *see* rotorcraft and helicopters  
 Holding,  
   fuel, *see* fuel and oil  
   en route, 56, 210  
   on runway, 56  
   patterns/position, 55, 61, 107, 210  
   speed, 198, 207  
 Hot air airships, *see* balloons and hot air airships

- I**
- IAP, *see* approaches
  - IAS, *see* aircraft speed
  - Icing, 117, 205
    - prevention for air speed indicator, 143, 146
  - IFR, 44, 47, 52, 61, 71, 78, 81, 83, 88, 106, 107, 120, 148, 166, 176, 177, 181, 207, 209, 210, 221, 222
    - Class G airspace, 53, 54
    - controlled airspace, 53, 56
    - cruising levels, 100, 103
    - equipment, 133, 143, 146, 147, 149, 150, 153, 164, 167
    - flight plan, 85
    - minimum height rules, 19, 20, 31, 91, 93, 95, 102
    - take-off/landing, 94, 98
  - ILS (instrument landing system), *see* landings
  - IMC, *see* meteorological conditions and forecasts
  - Immediately reportable matters, *see* accidents and incidents
  - Incidents, *see* accidents and incidents
  - In company flying, 54, 149, 166, 209
  - Indicated airspeed, *see* aircraft speed
  - Inspections, *see* tests and testing
  - Instantaneous vertical speed indicator, *see* aircraft speed
  - Instrument flight rules, *see* IFR
  - Instrument meteorological conditions, *see* IMC
  - Instruments, *see* equipment and instruments
  - Interception, 70
  - ISA (international standard atmosphere), 129, 198, 207, 209
  - IVSI, *see* airspeed
- J**
- Joint Rescue Coordination Centre (JRCC), 86, 210
- L**
- Landings, 23, 24, 26, 34, 35, 38, 39, 40, 42, 63, 73, 81, 82, 88, 92, 94–98, 102, 104, 105, 116, 126, 133, 150, 157, 178, 187, 199, 204, 205, 207, 210, 213, 218, 221
    - balked landing, 219
    - broadcasts, 52, 54
    - changes, 86
    - checklists, 87
    - clearances, *see* clearances
    - decision point, 94, 206, 211
    - delays, 73
    - distance available/required, 92, 93, 94, 89, 115, 211
    - FO hybrid landing system, 97, 98, 208
    - forecasts, 78, 80, 93
    - gear, 129, 211
    - ILS, 83
    - lights, *see* lights and lighting
    - low visibility, 94, 95
    - minima, 94, 95, 96, 97, 98, 211
    - performance, 90, 92, 93, 94
    - rotorcraft/helicopter landing sites (HLS), 179, 198
    - safety, 89, 208
    - STAR (standard terminal arrival routes), 94, 109
    - TLOF (touchdown and lift off) area, 97, 179
    - training, 29, 30
    - see also* alternate aerodromes; approaches; forced landings; weight and balance
  - Licensing,
    - AOC (air operator's certificate), 16, 20, 34, 42, 53, 58, 177, 214
    - commercial pilot, 178
    - documents to be carried, *see* documents
    - flight crew, 22, 132, 177, 178, 207
    - pilot, 24, 125, 128, 178, 179, 192, 203
    - radio station, 22; *see also* radio communications
    - ratings and endorsements, 132, 207
    - see also* medical requirements
  - Life jackets, 39, 157, 158
    - see also* pre-flight briefings; survival



Life rafts, 39, 155, 156, 158, 159  
*see also* pre-flight briefings; survival

Lights and lighting, 145, 170, 173  
 aerodrome, 55, 81, 82, 89  
 alternate, 179  
 anti-collision, 55, 149, 150  
 cockpit and cabin, 149, 170  
 exterior, 62, 145, 150, 170, 180  
 landing, 55, 150, 174  
 navigation, 150  
 PAL (pilot-activated), 82  
 portable, 81, 82, 140, 149  
 runway, 32, 81, 82, 95, 96, 97, 98, 81, 96, 97, 98, 179  
 signals, 54, 63

Light sport aircraft, 127, 129, 130, 148, 211  
 equipment, 140, 141, 142, 143, 144, 145, 147, 148, 160, 168  
 passengers, 130  
 placarding, 130  
 VFR requirements, 147  
*see also* balloons and hot air airships; experimental aircraft; gliding operations; seaplanes and amphibians

Listening watch, 62, 116, 148, 183, 185, 186, 188;  
*see also* radio communications

Loading, cargo, *see* weight and balance

Localiser performance, *see* navigation

Logs  
 journey, 22, 23, 210  
 technical, 22, 131, 135, 156

LSALT, *see* altitude

## M

Magnetic compass, *see* compasses

Magnetic heading, 141, 142, 143, 144, 145, 146

Magnetic track, 99, 100, 220

Maintenance, 30, 71, 87, 89, 90, 125, 128, 131, 134, 136, 152, 177, 205  
 release, 17, 22, 24, 87, 131, 138  
 training, 89, 90

Malfunctions, *see* failures, malfunctions and defects

Maximum landing weight, *see* weight and balance

Maximum number of persons to be carried, *see* passengers

Maximum seating capacity, *see* seats and seating

Maximum take-off weight, *see* weight and balance

MBA, *see* broadcast areas

MDA, *see* altitude

MDH, *see* height

Medical requirements  
 certificates, 22  
 exemptions, 22  
 recreational aviation medical practitioners certificate, 217  
*see also* documents, licensing

Medical transport operations, 36, 177, 203

MEL, *see* equipment and instruments

Meteorological conditions and forecasts, 26, 48, 56, 79, 80, 89, 208, 209, 220, 221  
 aerodrome weather and forecast, 79, 198  
 alternate minima, 83  
 BECMG, 80  
 cloud, *see* cloud  
 flight forecast, 80, 91, 93  
 GAFs, 78  
 grid point wind and temperature, 78  
 IMC (instrument meteorological conditions), 17, 30, 209  
 NAIPS, *see* NAIPS  
 pre-flight briefings, 216  
 thunderstorms, 80  
 turbulence, *see* turbulence  
 VMC, 30, 31, 44, 107, 222  
 WATIR, 88, 222  
*see also* authorised weather forecasts and reports; automatic weather stations; AWIS; icing; TAFs, wind

Mercy flight, 70

Military aerodromes, 51, 54, 89  
 aircraft, 16, 124  
 exercise areas, 57  
 training areas, 57  
*see also* air defence identification zone

Minimum height rules, *see* height

MMEL, *see* equipment and instruments

MOA, *see* danger areas

MOGAS, *see* fuel and oil

MOS, *see* regulations, rules and guidance material

MTOW, *see* weight and balance

## N

NAIPS (National Aeronautical Information Processing System), 78, 213

NAT-HLA, *see* airspace

Navigation, 106–112
 

- area navigation system (RNAV), 107, 200, 212, 214, 215, 217
- failure, 53
- hazards, 51, 70, 111
- lights, 150
- LNAV (lateral navigation), 95, 96, 97, 110, 112
- LP/LPV (localiser performance), 96, 97
- LRNS (long range navigation system), 111, 143, 146, 212
- NDB (non-directional beacon), 55, 97, 109, 111
- performance-based (PBN), 55, 58, 106, 111, 112, 200, 214, 215, 217
- RNP (required navigation performance), 55, 58, 96, 97, 102, 103, 107, 109, 110, 111, 112, 143, 146, 214, 215, 217
- SBAS (satellite-based augmentations system), 110, 215, 218
- tolerance, 55, 97, 214
- VNAV (vertical navigation), 95, 96, 97, 107

*see also* charts; GNSS

Night VFR (NVFR), 19, 20, 31, 71, 83, 85, 177, 181
 

- alternate aerodromes, 81
- approvals, ratings and endorsements, 177, 181
- automatic direction finder, 142, 145
- equipment, 142, 145, 148, 177
- minimum height, 19, 20, 91, 93, 102, 180

Non-controlled aerodromes, 17, 62, 113–116, 182, 183, 185, 186, 187–189, 210
 

- broadcasts, 51, 206
- circuits, 115, 183, 185
- collision avoidance, *see* collision prevention
- landing, 113, 116
- take-off, 113, 115, 183, 185
- traffic mix, 116
- vicinity of, 17, 48, 114, 115, 118, 206, 210

NOTAM (Notice to airmen), 57, 58, 71, 83, 87, 187, 189, 202, 213, 214, 216

NVIS (night vision imaging system) flights, 19, 33, 45, 119, 145, 150, 170, 175–181
 

- endorsements and ratings, 177, 178
- equipment, 169, 171, 174
- endorsements and ratings, 177, 178
- maintenance, 173

## O

Observers (flight tests and proficiency checks), 29, 30, 31, 32, 33, 192–194

Oceanic airspace/control area, 20, 61, 62, 111, 112, 143, 146, 212, 214

Offensive and disorderly behaviour, *see* behaviour

Oil, *see* fuel and oil

Over-water flights, 25, 26, 47, 54, 85, 104, 129, 131, 145, 155, 157, 158, 166, 200, 211
 

- flight plan, 85
- giving way, 17, 48, 50
- high seas, 16
- landing on water, 115, 157, 200, 208, 219
- safety equipment, 158, 159

*see also* oceanic airspace/control area; seaplanes and amphibians; survival

Overtaking aircraft, 48, 49, 50, 90, 116
 

- see also* giving way; right of way,

## P

PAL (pilot-activated lighting), *see* lights and lighting

Parachuting operations, 18, 34, 36, 39, 48, 77, 210

Paragliders, *see* gliding operations

Passengers, 34, 35, 40, 42, 66, 104, 105, 127, 128, 130, 153, 154, 156, 203, 205, 214, 219
 

- aerial work, 182, 184, 190
- behaviour, 17, 35
- list, 22
- maximum number of persons, 29, 31, 34, 157
- ratio to cabin crew, 34
- safety briefing and directions, 16, 18, 19, 38, 39
- seating, *see* seats and seating
- special needs, 39, 40, 42

PBE, *see* emergency and abnormal situations

Personal locator beacons, 156
 

- see also* distress signals; ELT

Pilot-activated lighting, *see* PAL

Pilot licensing, *see* licensing

Pilot in command (PIC), 26, 29, 171, 187, 192, 203, 204, 213, 215
 

- actions and directions, 16, 18, 24, 39
- authority, powers and responsibilities, 24, 28, 194

Placarding, 23, 41, 149, 156, 199  
 conversion, 141, 143, 144, 145, 146  
 experimental aircraft, 128  
 light sport aircraft, 130  
 passengers, 127  
*see also* equipment and instruments

Populous areas, 17, 19, 20, 26, 91, 92, 93, 94, 103, 104, 105, 118, 126, 158, 215  
*see also* public gatherings

Portable lighting, *see* lights and lighting

Power supply, 95, 143, 144, 145, 146, 147, 152, 215, 220  
 alternate/secondary, 95, 143, 144, 145, 146, 147, 148, 152, 172  
 APU (auxiliary power unit), 76, 152  
 ground, 68

Pre-flight briefings, 34, 216  
 passenger safety, 38, 39

Pre-flight planning, 78–88

Pressure altitude, 87, 88, 91, 93, 141, 142, 143, 144, 145, 146, 147, 153, 154, 162, 166, 198, 220

Private operations, 127, 133, 178

Production of documents, *see* documents

Prohibited, restricted and danger areas, 55, 57, 58, 61, 63  
 authorisation for restricted areas, 57

Protective breathing equipment, *see* emergency and abnormal situations

Provisionally certificated aircraft, 31, 125, 126

Public gatherings, flying over, 17, 19, 20, 91, 93, 103, 104, 105, 127, 199

Public transport operations, 42, 216, 217

## Q

QNH, 88, 101, 217, 220  
 accurate, 88, 198  
 aerodrome, 109  
 area, 101, 201  
 forecast, 101, 109, 198, 207  
 local, 101  
 sources, 109

## R

Radar and surveillance services, 163  
*see also* ADS-B capability; secondary surveillance radar; SSR

Radiation, 149, 220

Radio communications, 70  
 air displays, 183  
 balloons and gliders, 62  
 broadcasts and reports, 17, 51, 183, 185, 188  
 CA/GRS, 88, 101, 109, 198  
 carriage and use, 45, 51, 95, 132, 140, 154, 155  
 Class G airspace, 53, 62, 148  
 failure, *see* radio communication failure  
 frequency management, *see* frequency management  
 listening watch, *see* listening watch  
 qualifications, 51, 149  
 radio station licence, 22  
 system requirements, 86, 148  
 VOR (VHF omnidirectional radio range), 55, 83, 97, 109, 111, 142, 145, 214  
*see also* emergency or abnormal situations

Radio communication failure (inoperative), 54, 55, 82, 61, 62, 116, 148, 149, 166, 189

RAIM (receiver autonomous integrity monitoring), 97, 110

Readback requirements, 56, 86

Recreational activities, *see* sport and recreational operations

Recreational aviation medical practitioners certificate, 217

Regulations, other than CASR  
 Airspace Regulations 2007, 57  
 Aviation Transport Security Act 2004, 42  
 Aviation Transport Security Act Regulation 2005, 216, 217  
 Civil Aviation Act 1988 (CAA), 198, 220  
 Civil Aviation Orders (CAO), 151, 154, 169  
 Civil Aviation Regulations 1988 (CAR), 173, 203  
 Crimes Act 1914, 35  
 Crimes (Aviation) Act 1991, 42  
 Disability Discrimination Act 1992, 41  
 Radiocommunications Act 1992, 76  
 Transport Safety Investigation Regulations, 111, 209

Remote areas, 85, 159, *see also* survival  
 Remote indicating compass, *see* compasses  
 Restricted areas, *see* prohibited, restricted and danger areas  
 Right-of-way rules, 17, 48, 49  
   landing, 48, 50  
   overtaking, 48, 49  
   take-off, 50  
   *see also* collision prevention; giving way  
 Rotorcraft and helicopters, 19, 29, 32–33, 83, 97, 104, 129, 193, 217  
   alternate landing sites, 198  
   categories, 47, 84, 92, 94, 129, 204  
   circuit procedures, 115  
   clearways, 217  
   data recorders, 151  
   equipment, 19, 120, 135, 146, 157, 174  
   FATO (final approach and take-off) area, 93, 95, 97, 179, 206  
   flight over populous areas or public gatherings, 104  
   ground operations, 16, 89, 90  
   helidecks, 82, 158, 198, 208  
   HV curve (avoid area), 74, 92, 203  
   landing, 56, 89, 93, 94, 179, 198, 211, 219  
   minimum height, 19, 104, 105  
   NVIS flights, 19, 174, 179  
   over-water flights, 157, 158  
   passengers, 19, 29  
   performance, 19, 84, 91, 92, 93, 94, 215  
   safety, 16, 157, 158  
   simulating failures, 32, 33, 193  
   stages, 219  
   take-off, 89, 91, 92, 95, 115, 220  
   VFR flights, 19, 47, 71, 83, 144, 145, 148, 205  
   VMC criteria, 47  
 Runways, 30, 52, 84, 90, 91, 113, 114, 115, 150, 212, 218  
   contamination, 205  
   length, 91, 92, 93,  
   lighting, *see* lights and lighting  
   slope/gradient, 90, 91, 92, 93  
   thresholds, 52, 96, 113, 116, 220  
   TDZ (touchdown zone), 96, 97, 98  
 Runway visual range (RVR), 96, 98, 203, 205, 211, 218, 220  
 RVSM, *see* separation

## S

Safety, *see* accidents and incidents; collision prevention; emergency or abnormal situations; fuel and oil; hazards; lights and lighting; pre-flight briefings; SAFO  
 Safety harnesses and seatbelts, 26, 34, 36, 38, 39, 149  
   aerobatics, 118  
   children and infants, 36, 37, 38  
   medical transport operations, 36  
   *see also* pre-flight briefings; seats and seating  
 SAFO (safety alerts for operators), 92  
 Sailplanes, 116  
 SAR (search and rescue), 24, 51, 54, 58, 86, 131, 155, 219  
   *see also* ELT; emergency or abnormal situations  
 SARTIME, 85, 204, 218  
   cancelling, 53, 85, 86  
   changes, 86  
   flight plan, 85  
   over-water flights, 85  
   *see also* SARWATCH  
 SARWATCH, 218  
   cancelling, 53, 54  
   *see also* SARTIME  
 SBAS, *see* navigation  
 SCT, *see* cloud  
 Sea level, *see* altitude  
 Seaplanes and amphibians, 104, 105, 115, 129, 157, 200, 211, 218  
 Search and rescue, *see* SAR  
 Seats and seating, 16, 36, 38, 39, 53, 90, 153, 158  
   cabin crew, 20, 34  
   capacity, 129, 153, 156, 157, 211  
   emergency exit row, 39, 220  
   flight crew members, 16, 26, 30, 54, 89, 140, 171  
   infants and children, 37, 38  
 Secondary surveillance radar, 55, 163;  
*see also* SSR  
 Separation (distance), 111, 209  
   Class G airspace, 47  
   controlled airspace, 53  
   from cloud, 148, 176  
   RVSM (reduced vertical separation minimum), 53, 54, 58, 112, 218  
   VFR, 56, 106

SFIS (surveillance flight information service), 52  
 SID (standard instrument departure), *see* take offs and departures  
 Smoking, 35, 38, 75  
 Special VFR flights, 44, 47  
 Speed, *see* aircraft speed; wind  
 Sport and recreational operations, 16  
   *see also* ballooning operations; gliding operations; parachuting; recreational pilot licence  
 SSR, 112, 162, 163, 166, 167, 201, 221  
   *see also* transponders  
 STAR, *see* landings  
 Surveillance services, *see* radar and surveillance services; SSR  
 Survival, 219  
   equipment, 39, 87, 140  
   life jackets and life rafts, 39, 155, 156, 157, 158, 159  
   over water, 159  
   remote areas, 159  
   *see also* distress signals; ELT; search and rescue

## T

TABS (traffic awareness beacon system), *see* equipment and instruments  
 TAF, 79, 80, 81, 83, 220  
   TAF3, 80, 220  
 Take-offs and departures, 23, 24, 26, 33, 34, 35, 40, 42, 52, 74, 78, 79, 86, 94–98, 102, 104, 105, 114, 116, 117, 126, 150, 152, 158, 203, 207  
   authorised instrument departure, 102, 116, 202, 210  
   Class G airspace, 53  
   clearances, 56, 116, 183, 185  
   distance, 89, 90, 91, 92 low visibility, 94, 212  
   minima, 94, 95, 220  
   obstacles, 56, 89, 91, 92, 178, 210  
   performance, 90, 91, 92  
   pre-flight checks, 87, 88, 216  
   SID (standard instrument departure), 109, 217  
   take-off decision point, 33, 92, 220  
   TLOF (touchdown and lift off) area, 97, 179  
   visual departure procedure, 102  
   weight, *see* weight and balance  
   *see also* alternate aerodromes

Taxiing, 38, 39, 52, 53, 54, 81, 82, 90, 113, 220  
   clearances, 55, 56, 63, 116, 183, 185  
   rotorcraft, 32, 104, 105, 114  
 Temperature, 78, 89, 90, 91, 93, 141, 143, 144, 145, 146  
   *see also* icing; meteorological conditions and forecasts  
 Terminal aerodrome forecasts, *see* TAFs  
 Tests and testing, 24, 124, 125, 126, 128, 166  
   controls, 87  
   crew, 28, 31, 33, 205  
   flight test, 24, 29, 30, 31, 32, 33, 131, 161, 177, 178, 192, 193, 194  
   fuel system inspections, 74  
   instruments, 167  
   pilot, 32, 33, 179, 193, 194  
 TLOF, *see* landings, take-offs  
 Towing, 48, 90, 119, 125, 128  
 Training, 28, 119, 128, 175, 177, 178, 187, 192  
   circuits, 104, 105  
   flight, 29, 74, 105, 125, 130, 177, 192, 193, 204  
   low flying, 105  
   maintenance, 89, 90  
   pilot, 30, 31, 32, 33, 125, 126, 127, 178, 179  
   PRM operations, 111  
 Transition altitude, layer and level, 25, 101, 220  
 Transponders, 61, 62, 163, 164, 166, 221  
   carriage, 164  
   codes, 61, 62  
   Mode A, 56, 162, 166  
   Mode A/C, 161  
   Mode C, 162  
   Mode S, 161, 162, 163, 164, 165, 166, 167, 168  
   *see also* ADS-B, ADS-C, radio navigation systems, SSR  
 Turbulence, 40, 42, 80  
   crew safety, 34  
   wake, 56; *see also* separation  
   *see also* meteorological conditions and forecasts

**U**

Uncontrolled airspace, 51, 59, 61, 62, 99, 100, 114, 183, 185, 210  
    radio communication, 51, 54, 61, 148, 149, 183, 185  
    *see also* Class G airspace; listening watch  
UTC, 135, 221

**V**

Vehicle callsigns, *see* aircraft callsigns  
VFR, 30, 44, 47, 54, 56, 71, 80, 83, 88, 126, 127, 147, 148, 152, 176, 193, 207, 221  
    airspace classes, 44, 47, 54, 55, 85, 164, 165  
    carriage of documents, 22  
    cruising levels, 99, 103  
    equipment, 141, 142, 144, 145, 163, 164, 165, 166, 168  
    minimum height rules, 19, 20, 31, 91, 93, 102, 180  
    navigation, 106, 107  
    radio failure, 61  
    special VFR, 44, 47  
    speed, 44  
    VFR-on-top, 56, 222  
    *see also* night VFR  
Visibility, 44, 45, 46, 47, 80, 83, 84, 95, 96, 97, 98, 170, 175, 176, 211, 220, 222  
    alternate minima, 33  
    forecasts, *see* aerodrome forecasts  
    low, 94, 95, 97, 98, 212  
    *see also* ATIS; meteorological conditions and forecasts  
Visual approach, *see* approaches  
Visual flight rules, *see* VFR  
VOR, *see* radio communications

**W**

Water, flights over, *see* over-water flights  
WATIR, 88, 101, 109, 198, 222  
Weather, *see* meteorological conditions and forecasts  
Weather and terminal information reciter, *see* WATIR  
Weight and balance, 17, 18, 19, 20, 26, 71, 90, 191, 207, 220  
    cargo, 41  
    documents, 222  
    landing, 212, 221  
    limits, 39, 95, 222  
    maximum certificated take-off weight, 27, 131, 167, 216  
    MTOW, 31, 42, 71, 89, 91, 92, 113, 129, 150, 151, 156, 158, 167, 211, 213, 216  
    passengers, 37, 38, 90  
    rotorcraft, 19, 204  
Wind, 78, 80, 90, 91, 92, 93, 115, 219  
    crosswind, 55, 80, 115  
    direction, 89, 91, 93, 116  
    direction indicator, 64, 178  
    downwind, 55, 80, 115  
    headwind, 80  
    speed, 89, 91, 93  
    upwind, 75, 113  
    *see also* meteorological conditions and forecasts